


City of Coppell

Retail Food Establishment Inspection Report

LR	1-29-15			FE-02-0037		
San Code	Date	Time In	Time Out	Establishment Number	Previous Score	Risk Category
Purpose of Inspection: 1-Follow-Up <u>2-Routine</u> 3-Field Investigation 4-Pre-Opening 5-Other						
Establishment: <u>Chevron Food Mart</u>				Owner:		
Physical Address: <u>101 E Belt Line Rd</u>				Zip: <u>75019</u>	Phone: ()	
OUT 5 Pts	IN	NA	NO	COS	Food Temperature/Time Requirements Violations Require Immediate Corrective Action	Remarks
			✓		1. Proper Cooling for Cooked/Prepared Food	
	✓				2. Cold Hold (41 degrees Fahrenheit /45 degrees Fahrenheit)	
			✓		3. Hot Hold (135 degrees Fahrenheit)	
			✓		4. Proper Cooking Temperatures	
			✓		5. Rapid Reheating (165 degrees Fahrenheit in 2 Hrs)	
Item/Location/Temperature <u>Cooler 35°F-40°F</u>						
OUT 4 Pts	IN	NA	NO	COS	Personnel/Handling/Source Requirements Violations Require Immediate Corrective Action	Remarks
	✓				6. Personnel with Infections Restricted/Excluded	
	✓				7. Proper/Adequate Handwashing	
	✓				8. Good Hygienic Practices (Eating/Drinking/Smoking/Other)	
	✓				9. Approved Source/Labeling	
	✓				10. Sound Condition	
	✓				11. Proper Handling of Ready-To-Eat Foods	
	✓				12. Cross-contamination of Raw/Cooked Foods/Other	
	✓				13. Approved Systems (HACCP Plans/Time as Public Health Control)	
	✓				14. Water Supply – Approved Sources/Sufficient Capacity/Hot and Cold Under Pressure	
OUT 3 Pts	IN	NA	NO	COS	Facility and Equipment Requirements Violations Require Immediate Correction, Not To Exceed 10 Days	Remarks
	✓				15. Equipment Adequate to Maintain Product Temperature	
	✓				16. Handwash Facilities Adequate and Accessible	
	✓				17. Handwash Facilities with Soap and Towels	
	✓				18. No Evidence of Insect Contamination	
	✓				19. No Evidence of Rodents/Other Animals	
	✓				20. Toxic Items Properly Labeled/Stored/Used	
	✓				21. Manual/Mechanical Warewashing and Sanitizing at ()ppm/temperature	
	✓				22. Manager Demonstration of Knowledge/Certified Food Manager	
	✓				23. Approved Sewage/Wastewater Disposal System, Proper Disposal	
	✓				24. Thermometers Provided/Accurate/Properly Calibrated (±2 degrees Fahrenheit)	
3 ✓	✓				<u>25</u> Food Contact Surfaces of Equipment and Utensils Cleaned/Sanitized/Good Repair	
	✓				26. Posting of Consumer Advisories (Heimlich/Disclosure/Reminder/Buffer Plate)	
	✓				27. Food Establishment Permit	
Subtotal	Other Violations – Require Corrective Action, Not to Exceed 90 Days or the Next Inspection, Whichever Comes First					
5pt	See attached note					
4pt						
3pt						
Total	Inspected by: <u>Wayne Pauli, RS</u>			Print: <u>Wayne Pauli 971-462-5164</u>		
F/U Yes/ No	Received by: <u>[Signature]</u>			Print:		Title: <u>manager</u>



FE-02-0037

CITY OF COPPELL
ENVIRONMENTAL HEALTH DEPARTMENT

WRITTEN NOTICE

Name of Establishment: Chevron Food Mart

Date: 1-29-15

Address: 101 E Belt Line Rd.

Purpose: Reactive

Owner: _____

- 1- Replace broken tiles
- 2- Clean walls by the restroom
- 3- Clean restrooms.
- 4- Light in the restroom is not working properly.

- (25) Clean all coolers.
 - clean walk-in cooler.
 - clean soda machine.


Received By:


Inspected By: